

Nedaa

Enhance communication abilities



LEBARA ليـــبارا موبايــل

2025 PROFILE

About Nedaa

It is a service that provides integrated solutions for managing critical communications quickly and safely, whether from an individual to an individual or from an individual to a group, through a control platform that allows you to manage and monitor your daily operations with ease and professionalism, and integrated solutions for operating rooms with many multi-tasking wireless devices for wider coverage in various circumstances.

"Push to talk and your call will reach you wherever you are."

What we offer

wireless devices

Multitasking

Control system

To manage operations







Service features



Constant communication

Whether you are on or off the field

Miscellaneous devices

Multiple forms of devices with varying capabilities to suit different businesses.





Wide coverage

We guarantee you stable coverage wherever you are and in the most difficult circumstances.

Monitor and control

Follow the course of work teams 24 hours a day.





Ease of use

Just click and talk.

Transmission speed


Share photos and text messages and they will arrive immediately.




Nedaa Platform















System Features



Management

Ability to create teams by department or location with full control over .devices



Calls

Multi-party
communication directly
.through the platform



Alerts

Sending instant alerts
.and tasks



Documentation

Recording calls and conversations with the ability to export .reports



Monitoring

Real-time tracking of devices and users on the .map

Nedaa Devices





-ABILITY TO USE A LIVE STREAM CAMERA FROM THE FIELD



Device Capabilities

Multiple types of devices with varying capabilities to suit different tasks.



WATERPROOF AND DUSTPROOF
WIRELESS
COMMUNICATION
DEVICES (IP68)

GPS SUPPORT AND REAL-TIME LOCATION TRACKING







BATTERIES LASTING MORE THAN 36 HOURS OF OPERATION



P60 NEW Smart PoC Radio





Device Specifications:

مواصفات الجهاز :

		<u> </u>
General		نظرة عامة
Dimensions(H×W×D) mm	134 mm x 61 mm x 23.5 mm	الأبعاد (الارتفاع × العرض × العمق) مم
Weight	240 g	الوزن
Operating System	Android 12	نظام التشغيل
Memory	RAM (4 GB), ROM (64 GB)	الذاكرة
Peripheral Interface	9-pin audio connector, USB Type-C	المنافذ
Display	3.5 inches	الشاشة
Card Slots	Hybrid slot: Nano-SIM*2 or SIM*1+SD*1	فتحات البطاقات
Battery	4,000 mAh	البطارية

The Hytera P60 Smart PoC Radio combines voice, data, and video capabilities. It integrates PoC and MCX communications with an Android 12 system and a 3.5-inch touchscreen. This combination provides seamless voice and video calls, slide-to-record functionality, and much more – all in a single radio device. It is ideal for public safety operations, energy inspections, transportation, and VIP security.







GPS







Device Specifications:

مواصفات الجهاز :

General		نظرة عامة
Dimensions(H×W×D) mm	131 mm x 61 mm x 23.5 mm	الأبعاد (الارتفاع × العرض × العمق) مم
Weight	209 g	الوزن
Operating System	Android 12	نظام التشغيل
Memory	RAM (2 GB), ROM (32 GB)	الذاكرة
Peripheral Interface	9-pin audio connector, USB Type-C	واجهة الأجهزة الطرفية
Display	2.4-inch color LCD screen, 320 x 240 pixels	الشاشة
Card Slots	Nano SIM card slot x 1, TF card slot x 1	فتحات البطاقات
Battery	4,000 mAh	البطارية
Numeric Keypad	Available	لوحة مفاتيح رقمية
Sensors	Optical distance sensor, Gravity sensor	الحساسات
Camera	8 MP, 1080p@30fps	الكاميرا

Stay connected wherever you are with the P50 Pro, whether in elevators, high-rise buildings, or areas with weak LTE signals. This exceptional wireless device features a professional monopole antenna design, with a TRP of up to 18.5 dB and a TIS of -93.5 dB in the B5 band, ensuring consistent transmission and reception without interruption, thanks to enhanced receive/transmit capabilities.















مواصفات الجهاز : Device Specifications

General		نظرة عامة
Dimensions(H×W×D) mm	131 mm x 61 mm x 23.5 mm	
Weight	190 g	الوزن
Operating System	Android 12	نظام التشغيل
Memory	RAM (1GB), ROM (8GB)	الذاكرة
Peripheral Interface	9-pin audio connector, USB Type-C	واجهة الأجهزة الطرفية
Display	2.4-inch color LCD screen, 320 x 240 pixels	الشاشة
Card Slots	Nano SIM card slot x 1, TF card slot x 1	فتحات البطاقات
Battery	4,000 mAh	البطارية

Stay connected wherever you are with the P50, whether in elevators, high-rise buildings, or areas with weak LTE signals. This exceptional wireless device features a professional monopole antenna design, with a TRP of up to 18.5 dB and a TIS of -93.5 dB in the B5 band, ensuring stable transmission and reception without interruption, thanks to enhanced receive/transmit capabilities.



PNC380 Device

Wireless Basic





- 1- Battery Capacity: 4000 mAh.
- 2- Memory: RAM: 1GB, ROM: 8GB.
- 3-1Nano SIM card slot.
- 4- Supports 2G,3G,4G.
- 5- Drop-proof 1.2 M.
- 6-5 MP rear camera.
- 7- Supports flash.
- 8- Supports calling.
- 9- PNC380 Pro: NFC Supported
- 10- USB charger port.
- 11- Dimensions(H×W×D) mm 145.1x 60 X 26.1mm.
- 12-Weight: 208g.



PNC360S Device

Wireless Basic





- 1- Small size and light weight.
- 2- Battery Capacity: 4000 mAh.
- 3- Speaker Power 2W.
- 4- Memory: RAM: 1GB, ROM: 8GB.
- 5-1 Nano SIM card slot.
- 6- Charging port: Type-C.
- 7- Supports 2G,3G,4G.
- 8- Drop-proof 1.2 M.
- 9- Dimensions (H x W x D) 104mmx54.6mmx26.5mm.
- 10-Weight About 190g.



PNC560 Device

Smart Wireless






- 1- Battery Capacity: 5,040 mAh.
- 2- Memory: RAM-4 GB, ROM-64 GB.
- 3-2 Nano SIM card slot.
- 4- Supports 2G,3G,4G,5G.
- 5- Camera: Front: 8 MP, Rear: 48 MP*and 8 MP.
- 6- Charging port: Type-C.
- 7- Speaker Power 3W.
- 8- Supports calling.
- 9-NFC Supported.
- 10- Drop-proof 1.5 M.
- 11- Dimensions(H×VV×D) 166.6 x 77.1 x 13mm.
- 12- Weight About 270g.
- 13- Android 12 operating system



PNC460 Device

Smart Wireless





- 1- Battery size: 4,580 mAh
- 2- Space: 6GB RAM + 128GB ROM.
- 3- Number of SIM card slot (2).
- 4- Supports 2G, 3G, 4G, 5G.
- 5- Supports a rear camera with a resolution of: 50
- MP; Front: 8 MP.
- 6- Type-c charger port.
- 7- Speaker power 3W.
- 8- Supports calling.
- 9- Supports NFC feature.
- 10- Resistance to falling to a distance of 1.5.
- 11-Dimensions: 164×77×23mm.
- 12-Weight: 337 grams.
- 13- Android 12 operating system



VM780 pro Device

Wireless smart camera





- 1- Battery size 3500mAh.
- 2- USB charger port.
- 3- Fall resistance 2M.
- 4- Supports night vision at a distance of up to 10m.
- 5- A camera with a resolution of more than 16 MP
- 6- Dimensions: length 116 mm, width 61 mm, thickness 26 mm.
- 7-Weight: 205 grams.
- 8- Supports NFC
- 9- A flexible camera that rotates up to 216°
- 10 supports 3G, 4 G
- 11 Number of SIM cards: 1 SIM
- 12 Sound power 2 w



SC580 Device

Wireless smart camera









- 1- Dimensions (90 mm x 55 mm x 26.3 mm)
- 2- Weight (158 grams)
- 3- Battery capacity (3600 mAh)
- 4- Storage capacity 128 GB
- 5- Supports 4G.
- 6-2 inch screen.
- 7- Video resolution 1080p@30fps.
- 8- Front camera + rear camera.
- 9- Dedicated to night vision in colors even in the dark.



MNC360 Device

AV radios












- 1- Memory: RAM 1GB, ROM 8GB.
- 2-2 Nano SIM card slot.
- 3- Support 2G,3G,4G.
- 4- Support NFC.
- 5- Speaker Power 8W.
- 6- OS: Android 7.1.
- 7- Dimensions (H×W×D) 170mmx66mmx39.3mm.
- 8-Weight About 300g.
- 9- The external storage card supports up to 128 GB.



PNC360S & PNC380







Accessories

Characteristic

PNC560



Tempered Glass



Earphone



VM580D VM780 VM750D



Multi- Unit Charger



Earset



Nylon Carrying Case



Belt clip



Battery



helmet

MNC360



BT Earpiece



Handheld Microphone (IP54)



GPS magnetic mount antenna (GPS04)



Features & Specifications

Nedaa PTT: One-to-One and One-to-Group communication Direct one-to-one communication Group PTT Call priority based on the administrative hierarchy One-to-One & One-to-Group Multimedia Messaging One-to-One & One-to-Group Voice Messaging Text Messaging (SMS) Call minutes over mobile network Internet Data Capacity Emergency Button Create groups + add or remove devices Max Users per Group Create a quick temporary group from the map Create a geofence on the map Set entry and exit alert rules for the geofence Device Management (Temporary Disable / Full Disable / Reactivation) Monitor device location and route from the map Alerts for all device operations (group change, device on/off) Video streaming + group calls + one-to-one calls View devices (ID, device type, network, associated groups) Multiple reports Device warranty + free maintenance

Continuous 24/7 Support Backed by SLA

	85
	SAR/m
are	~
Vedaa Pure	~
eqa	~
Z	~
	~
	×
	×
	×
	~
	Unlimited
	Unlimited
	~
	~
	~
	~
	✓
	✓
	~
	~
	✓
	✓
	✓

150 SAR/m	
✓	0
~	ledaa Pro
~	eqa
~	Z
~	
250	
250	
5 GB	
~	
Unlimited	
Unlimited	
✓	
~	
~	
~	
~	
~	
~	
✓	
✓	
✓	
✓	
~	

250 SAR/m
✓
~
✓
✓
~
1,000
1,000
15 GB
✓
Unlimited
Unlimited
✓
✓
✓
~
✓
~

SAR/m		SAR/m
~	NedaaPro Plus	✓
✓	2	✓
~	ааР	✓
✓	Neo	✓
~		~
1,000		Unlimited
1,000	_	Unlimited
15 GB	_	Unlimited
✓		~
Unlimited		Unlimited
Unlimited	_	Unlimited
✓		~
✓		~
~		~
~		✓
✓		✓
~		✓
~		✓
✓		~
✓		~
✓		~
~		✓
✓		✓








Infrastructure

- Servers hosted on a cybersecurity-certified cloud
- Connection secured with SSL Encryption
- Communication between the device and the tower is encrypted
- End-to-end encryption between the device and the platform.
- Compliant with the National Cybersecurity Authority (NCA) policies
- We operate in accordance with 3GPP standards





After sales service

Includes 24/7 technical support, immediate maintenance, training, and replacement devices







Stable network

Preferring the best network in the area of use and connecting to it to ensure the stability of the network quality



Packages have been prepared with varying features and customized prices to suit different businesses.







Nedaa application

The Nedaa application was developed to work on all devices such as PTT devices, PC, and Smart phone

Hardware quality

We work to provide modern, highquality PTT devices through reputable companies





Operations rooms

We provide our customers with integrated solutions for operating rooms and their integration with security systems in a professional manner

After-sales services



introduction:

At Nedaa, we are keen to provide distinguished service to our customers by giving them a unique experience. Therefore, we believe that development in after-sales services and investment in customer satisfaction is what gives the real value in providing the best experience to our customers and gaining their loyalty.

Service features

SLA agreement



This agreement is granted to the customer to inform him of the level of service provided throughout the contract period, and includes response time, the mechanism for resolving problems and filing reports, the escalation mechanism, and direct communication information with officials.

Free maintenance



provides Nedaa certified maintenance centers free of charge to its customers throughout the subscription period, while providing an alternative device when the device requires maintenance for more than 24 hours.

Regular inspection visits



Regular appointments are scheduled to visit customers by the after-sales service department to inspect the quality of service and identify any difficulties that customers may face in order to deal with them and resolve them proactively.

Comprehensive warranty



comprehensive warranty on its devices against manufacturing defects or operating problems during the contract period.

Free additional hardware



Nedaa grants free spare devices to every customer (two devices for every 100 devices)

Technical support 7/24



Nedaa provides high-speed support to its customers seven days a week to implement all requests and handle complaints professionally through multiple communication channels such as email supportptt@nedaa.sa, or the unified number 920021755 for the communications and chat center on WhatsApp.

Training and knowledge transfer



Nedaa provides comprehensive training to users to deal with Nedaa devices and systems, and gives continuous guidance to customers on the best use of devices and systems.





























































































